

# LIBERTY STONE & AGGREGATES CLINTON QUARRY NEW JERSEY SUBMITTAL PACKAGE 2019

## STATE OF NEW JERSEY MINE REGISTRATION CERTIFICATE EXP: 3/31/20



### State of New Jersey Department of Labor and Workforce Development

Certificate No. 004581 Expiration Date 3/31/2020

### MINE REGISTRATION CERTIFICATE

ISSUED TO:

LIBERTY STONE & AGGREGATES-CLINTON QUARRY

5 ROUTE #173

UNION TWSP, NJ

LOCATION:

BLK NO(5): 22

LOT NO(5): 30

COUNTY: HUNTERDON

Issued pursuant to the provisions of N.J.S.A. 34:6-98.1 et. seq. Failure to comply with the provisions of the Act, and the Rules promulgated thereunder, shall be good cause for the revocation of this Certificate.

Robert Asaro-Angelo
Commissioner

THIS CERTIFICATE MUST BE POSTED AT ALL TIMES

### TOWNSHIP OF UNION HUNTERDON COUNTY, NEW JERSEY 2019 QUARRY LICENSE



### TOWNSHIP OF UNION HUNTERDON COUNTY, NEW JERSEY

FEE: \$ 250.00

Licensing Year 2019

### HUNTERDON COUNTY NEW JERSEY

Issue Date

Effective Date

**Expiration Date** 

March 132019

January 1, 2019

December 31, 2019

LICENSE is hereby granted to: LIBERTY STONE & AGGREGATES - CLINTON QUARRY, LLC

Address:

ROUTE 173 EAST, FRONTAGE ROAD, P.O. BOX 4609, CLINTON, NJ 08809

for the period of ONE YEAR for the following purposes:

### ANNUAL QUARRY LICENSE

The License having paid the fixed fee and having complied with all requirements of ordinances necessary for obtaining license, this license is granted upon the express condition of a forfeiture in case of the license, his agents or servants, shall violate any law or ordinance regulative of the business or occupation ficensed and that it may be revoked whenever the public good requires that such action be taken.

THIS LICENSE MUST BE POSTED IN PUBLIC VIEW

NOT TRANSFERABLE

Ella M. Ruta, Municipal Clerk

### HUNTERDON COUNTY SOIL CONSERVATION PERMIT



### HUNTERDON COUNTY SOIL CONSERVATION DISTRICT 687 PITTSTOWN ROAD, SUITE #1

FRENCHTOWN, NJ 08825 TEL (908) 788-9466 FAX (908) 788-0795

October 3, 2016

### LETTER OF CERTIFICATION

MILM, LLC 86 LAVERGUNE STREET BELVILLE NJ 07109

Pursuant to the New Jersey Soil Erosion and Sediment Control Act, Chapter 251, P.L. 1975, the Hunterdon County Soil Conservation District has reviewed the plans for this project and certifies the Soil Erosion and Sediment Control Plan.

Project #: 16-25-011

Ret

CLINTON SHALE PIT

Block: 22, Let: 30

Union Two.

PLAN DATE: July, 2000

LATEST REVISIONS: August 1, 2001

Certification of the submitted and identified plans is subject to any outside agency review, approval and/or permit as may be determined by such outside agency to be required. Nothing contained herein shall be interpreted as excusing any such review, permit and/or approval by any municipal, county, state or federal reviewing agency or department prior to construction and implementation of the plans as certified and approved herein.

This approval is limited to the soil erosion, sedimentation and related stormwater management controls specified in this plan. It is not authorization to engage in the proposed land use unless the municipality, or other controlling agency has previously approved such use.

The District requires 48-hour written notification prior to the start of land disturbance. Please be advised that failure to do so is considered a violation of State law.

All revisions and municipal, county, state or federal renewals of this project will require resubmission and approval by the District. Any condition(s), if stated above, are to be incorporated into any subsequent plan revisions. In no case shall this approval extend beyond three and one-half years from the original certification date.

FOR THE DISTRICT.

John Van Nuys District Chairman

pc: Municipal Clerk

Municipal Building Inspector

Municipal Engineer

Applicant's Engineer: CHERRY, WEBER & ASSOC.

775 MEMORIAL PARKWAY, SUITE 110

PHILLIPSBURG, NJ 08865

### SIEVE ANALYSIS 4/2019



Email: info@johnsonsoils.com

April 16, 2019

LIBERTY STONE & AGGREGATES 3498 Route 22 West Branchburg, NJ 08876

Re:

3/8" Clean - Clinton Quarry - 2019

Clinton, NJ

JSC Job # 19-151

Dear Sir:

Following are the results of the Sieve Analysis as per ASTM D422 done on the sample submitted on April 3, 2019.

Sieve Opening Size	Percent Passing Dry Weight 3/8" Clean - Clinton Quarry 2019
3/4"	100.0
1/2"	99.9
#4	32.6
#8	15.5
#16	9.6
#30	7.0
#50	5.5
#100	4.5
#200	3.7

If you have any questions please call.

Very truly yours,

JOHNSON SOILS COMPANY

Lisa V. Mahle-Greco Engineering Manager

NJ Lic. #43197

JL, WS

Subsurface Investigation • Geotechnical Engineering • Construction Testing •



Email: info@johnsonsoils.com

April 18, 2019

LIBERTY STONE & AGGREGATES

3498 Route 22

West Branchburg, NJ 08876

Attention: Jennifer Kraft

Re:

%" Clean -- Clinton Quarry - 2019

Clinton, NJ

JSC Job #: 19-152

Dear Madam:

Following are the results of the Sieve Analysis, as per ASTM D422, done on the sample (3/4" clean) submitted on April 3, 2019.

Sieve Size	Percent Finer %" Clean – Clinton Quarry – 2019
1 1/2"	100.0
, 1 29	95.5
3/4"	48.8
1/2"	13.9
3/8"	8.3
#4	0.1
#8	0.0

If you have any questions please call.

Very truly yours,

JOHNSON SOILS COMPANY

Eric M. Hough, PE

NJ Lic. # 51893

William Sanchez

Subsurface Investigation • Geotechnical Engineering • Construction Testing •



Email: info@johnsonsoils.com

April 18, 2019

LIBERTY STONE & AGGREGATES 3498 Route 22 West Branchburg, NJ 08876

Attention: Jennifer Kraft

Re:

1 1/2" Clean - Clinton Quarry - 2019

Clinton, NJ

JSC Job #: 19-154

Dear Madam:

Following are the results of the Sieve Analysis, as per ASTM D422, done on the sample (1 ½" clean) submitted on April 3, 2019.

Sieve Size	Percent Finer 1 ½" Clean – Clinton Quarry	<b>- 2019</b>
2"	100.0	
1 ½"	79.0	
" 1"	8.7	
3/2"	0.1	
1/2"	0	- 17

If you have any questions please call.

Very truly yours,

JOHNSON SOILS COMPANY

Eric M. Hough, PE

NJ Lic. # 51893

William Sanchez



66 Glen Avenue Glen Rock, NJ 07452 Telephone: 201-301-1045 Fax: 201-857-8002 Email: info@johnsonsoils.com

April 18, 2019

LIBERTY STONE & AGGREGATES
3498 Route 22

West Branchburg, NJ 08876

Attention: Jennifer Kraft

Re:

2 1/2" Clean - Clinton Quarry - 2019

Clinton, NJ

JSC Job #: 19-156

### Dear Madam:

Following are the results of the Sieve Analysis, as per ASTM D422, done on the sample (2 ½" clean) submitted on April 3, 2019.

Sieve Size	Percent Finer (2 ½" Clean – Clinton Quarry 2019)
. 3"	100
2 1/2"	90.6
2"	46.2
1 1/2"	0.8
1"	0.0

If you have any questions please call.

Very truly yours,

JOHNSON SOILS COMPANY

Eric M. Hough, PE

NJ Lic. # 51893

William Sanchez

Subsurface Investigation • Geotechnical Engineering • Construction Testing •



66 Glen Avenue Glen Rock, NJ 07452 Telephone: 201-301-1045

Fax: 201-857-8002 Email: info@johnsonsoils.com

April 10, 2019

LIBERTY STONE & AGGREGATES

3498 Route 22 West Branchburg, NJ 08876

Re:

5"-8" Clean - Clinton Quarry 2019

Clinton, NJ

JSC Job # 19-157

Dear Sir.

Following are the results of the Sieve Analysis as per ASTM D422 done on the sample submitted on April 3, 2019.

Sieve Opening Size	Percent Passing Dry Weight 5"-8" Clean - Clinton Quarry 2019
<b>7</b> °°	100
6.5"	82.2
6"	69.8
5.5"	25.0
5"	19.5
4.5"	19.5
4"	19.5
3.5"	8.0
3"	0.0

If you have any questions please call.

Very truly yours,

JOHNSON SOILS COMPANY

Lisa V. Mahle-Greco, PE

Engineering Manager

NJ Lic. # 43197

JL

<sup>•</sup> Subsurface Investigation • Geotechnical Engineering • Construction Testing •



66 Glen Avenue Glen Rock, NJ 07452 Telephone: 201-301-1045 Fax: 201-857-8002 Email: info@johnsonsoils.com

April 18, 2019

LIBERTY STONE & AGGREGATES

3498 Route 22

West Branchburg, NJ 08876

Attn: Jennifer Kraft

Re:

3/4" DGA -Clinton Quarry-2019

Clinton, NJ

JSC Job # 19-153

Dear Sir:

Following are the results of the Sieve Analysis as per ASTM D422 done on the sample submitted on April 3, 2019.

Sieve Opening Size	Percent Passing Dry Weight %" DGA -Clinton Quarry-2019 100.0	æ
3/22		
74	99.2	
1/2"	87.8	
#4	44.6	••
#8	33.0	
#16	22.1	
#30	14.5	
#50	9.5	
#100	6.3	
#200	4.5	

If you have any questions please call.

Very truly yours,

Eric M. Hough, PÉ

NJ Lic. # 51893

Subsurface Investigation - Geotechnical Engineering - Construction Testing -



66 Glen Avenue Glen Rock, NJ 07452 Telephone: 201-301-1045

Fax: 201-857-8002 Email: info@johnsonsoils.com

April 16, 2019

LIBERTY STONE & AGGREGATES 3498 Route 22

West Branchburg, NJ 08876

Re:

1 1/2" DGA - Clinton Quarry - 2019

Clinton, NJ JSC Job # 19-155

Dear Sir:

Following are the results of the Sieve Analysis as per ASTM D422 done on the sample submitted on April 3, 2019.

Sieve Opening Size 2"	Percent Passing Dry Weight 1 '%" DGA - Clinton Quarry 2019 100
1 1/2"	97.2
1 92	65.5
3/4"	57.4
1/2**	54.8
#4	29.5
#8	19.9
#16	13.6
#30	9.3
#50	6.3
#100	4.5
#200	3.5

If you have any questions please call.

Very truly yours,

JOHNSON SOILS COMPANY

Lisa V. Mahle-Greco Engineering Manager

NJ Lic. #43197

Subsurface Investigation • Geotechnical Engineering • Construction Testing •



Email: info@johnsonsoils.com

April 17, 2019

### LIBERTY STONE & AGGREGATES

3498 Route 22

West Branchburg, NJ 08876

Attn: Jennifer Kraft

Re;

1/2" Minus-Clinton Quarry-2019

Clinton, NJ

JSC Job # 19-158

Dear Sir:

Following are the results of the Sieve Analysis as per ASTM D422 done on the sample submitted on April 3, 2019.

Sieve Opening Size	Percent Passing Dry Weight 1/2" Minus -Clinton Quarry-2019
1/2"	100.0
#4	51.5
#8	33.5
#16	21.8
#30	14.3
#50	8.9
#100	5.5
#200	3.8

If you have any questions please call.

Very truly yours,

Lisa V. Mahle-Greco Engineering Manager

NJ Lic. #43197

JL



Email: info@johnsonsoils.com

April 17, 2019

LIBERTY STONE & AGGREGATES 3498 Route 22 West Branchburg, NJ 08876

Re:

Stone Dust - Clinton Quarry 2019

Clinton, NJ JSC Job # 19-150

Dear Sir:

Following are the results of the Sieve Analysis as per ASTM D422 done on the sample submitted on April 3, 2019.

Sieve Opening Size	Percent Passing Dry Weight Stone Dust - Clinton Quarry 2019
#4	100.0
#8	73.0
#16	50.5
#30	33.2
#50	19.9
#100	12.5
#200	8.6

If you have any questions please call.

Very truly yours,

JOHNSON SOILS COMPANY

Lisa V. Mahle-Greco, PE

**Engineering Manager** 

NJ Lic. #43197

<sup>•</sup> Subsurface Investigation • Geotechnical Engineering • Construction Testing •



Email: info@johnsonsoils.com

April 17, 2019

LIBERTY STONE & AGGREGATES

3498 Route 22

West Branchburg, NJ 08876

Attn: Jennifer Kraft

Re:

Sand -Clinton Quarry-2019

Clinton, NJ

JSC Job # 19-149

Dear Sir:

Following are the results of the Sieve Analysis as per ASTM D422 done on the sample submitted on April 3, 2019.

Sieve Opening Size	Percent Passing Dry Weight Sand -Clinton Quarry-2019
1 ½"	100
1"	99.8
3/4"	99.3
1/231	97.7
#4	93.1
#8	90.2
#16	85.9
#30	74.6
#50	39,5
#100	12.4
#200	3.4

If you have any questions please call.

Very truly yours,

Lisa V. Mahle-Greco, PE

Engineering Manager

NJ Lic. #43197

Subsurface Investigation • Geotechnical Engineering • Construction Testing •